



**imagePRESS  
C10010VP / C9010VP  
COLOUR PRODUCTION  
DIGITAL PRESS**



imagePRESS C10010VP shown with optional accessories.

## PRODUCT SPECIFICATIONS

### MARKING ENGINE

|   |  |                |
|---|--|----------------|
| <b>Technology:</b>                              | Electrophotography                               |                |
| <b>Print Resolution:</b>                        | 2400 x 2400 dpi                                  |                |
| <b>Print Speed</b>                              | <b>C10010VP</b>                                  | <b>C9010VP</b> |
| 8.5" x 11":                                     | Up to 100 ipm                                    | Up to 90 ipm   |
| 11" x 17":                                      | Up to 56.2 ipm                                   | Up to 50.6 ipm |
| 12" x 18":                                      | Up to 53.5 ipm                                   | Up to 48.1 ipm |
| 13" x 19":                                      | Up to 51 ipm                                     | Up to 45.9 ipm |
| 13" x 30":                                      | Up to 28.3 ipm                                   | Up to 25.5 ipm |
| <b>Paper Size:</b>                              | 7.2" x 7.2" to 13" x 19.2"                       |                |
| <b>Paper Weight:</b>                            | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |                |
| <b>Paper Capacity<sup>1</sup></b>               |  |                |
| Standard:                                       | Up to 2,000 Sheets                               |                |
| Maximum:  | Up to 11,000 Sheets                              |                |
| <b>Long Sheets<sup>2</sup></b>                  |  |                |
| Duplex:   | Up to 13" x 30"                                  |                |
| Simplex:  | Up to 13" x 51.2"                                |                |
| <b>Automatic Duplexing</b>                      |  |                |
| Paper Size: <sup>2</sup>                        | Up to 13" x 30"                                  |                |
| Paper Weight:                                   | Up to 150 lb. Cover (400 gsm)                    |                |
| <b>Average Monthly Print Volume<sup>3</sup></b> |  |                |
| C9010VP:  | 80,000 to 360,000                                |                |
| C10010VP:                                       | 100,000 to 450,000                               |                |
| <b>Duty Cycle<sup>3</sup></b>                   |  |                |
| C9010VP:  | 1,600,000  |                |
| C10010VP:                                       | 1,800,000  |                |
| <b>Power Source:</b>                            | Three-Phase 208 V, 60 Hz, 30 A                   |                |
|   | Single-Phase 208 V, 20A, 60 Hz                   |                |
| <b>Weight:</b>                                  | 2,652 lb.  |                |
| <b>Dimensions (W x D x H):</b>                  | 101.8" x 45.4" x 57.3"                           |                |

### INPUT ACCESSORIES

|   |  |
|---|--|
| <b>POD Deck-D1</b>                      |  |
| <b>Paper Capacity:<sup>1</sup></b>      | Up to 4,000 Sheets                               |
| <b>Attach Inline:</b>                   | Up to 2  |
| <b>Paper Size:</b>                      | 7.2" x 7.2" to 13" x 19.2"                       |
| <b>Paper Weight:</b>                    | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |
| <b>Power Source:</b>                    | 200-208 V, 60 Hz, 15 A                           |
| <b>Weight:</b>                          | 551 lb.  |
| <b>Dimensions (W x D x H):</b>          | 38.7" x 31.2" x 43.1"                            |
| <b>BDT VX 370-790 Long Sheet Feeder</b> |  |
| <b>Paper Capacity:<sup>1</sup></b>      | Up to 5,000 Sheets                               |
| <b>Paper Size:</b>                      | 11" x 17" to 13" x 30"                           |
| <b>Paper Weight:</b>                    | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |
| <b>Power Source:</b>                    | 90-260 V, 47-63 Hz, 14 A                         |
| <b>Weight:</b>                          | 1,146.3 lb.                                      |
| <b>Dimensions (W x D x H):</b>          | 51.2" x 42.7" x 38.4"                            |
| <b>POD Deck Lite-C1</b>                 |  |
| <b>Paper Capacity:<sup>1</sup></b>      | Up to 3,500 Sheets                               |
| <b>Paper Size:</b>                      | 5.5" x 7.2" to 13" x 19.2"                       |
| <b>Paper Weight:</b>                    | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |
| <b>Power Source:</b>                    | 120-127 V, 60 Hz, 2.2 A                          |
| <b>Weight:</b>                          | 150 lb.  |
| <b>Dimensions (W x D x H):</b>          | 24.9" x 27.0" x 22.4"                            |

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## POD Deck Lite XL-A1

|                                   |  |
|-----------------------------------|--|
| <b>Paper Capacity<sup>1</sup></b> |  |
| Up to 13" x 19.2":                | Up to 3,500 Sheets                               |
| Up to 13" x 30":                  | Up to 1,000 Sheets                               |
| <b>Paper Size:</b>                | 5.5" x 7.2" to 13" x 30"                         |
| <b>Paper Weight</b>               |  |
| Up to 13" x 19.2":                | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |
| Up to 13" x 30":                  | 17 lb. Bond to 110 lb. Cover (64 gsm to 300 gsm) |
| <b>Power Source:</b>              | 120-127V AC, 60 Hz, 2.2 A                        |
| <b>Weight:</b>                    | 231 lb.  |
| <b>Dimensions (W x D x H):</b>    | 40.2" x 27" x 22.6"                              |

## Long Sheet Tray-D1

|                                   |  |
|-----------------------------------|--|
| <b>Paper Capacity<sup>1</sup></b> | Up to 1 Sheet                                    |
| <b>Paper Size:</b>                | 8.3" x 19.2" to 13" x 51.2"                      |
| <b>Paper Weight:</b>              | 16 lb. Bond to 140 lb. Index (60 gsm to 256 gsm) |
| <b>Weight:</b>                    | 3 lb.  |
| <b>Dimensions (W x D x H):</b>    | 85.6" x 36.8" x 56.1"                            |

## Duplex Colour Image Reader-M1

|                                     |                        |
|-------------------------------------|------------------------|
| <b>Image Sensor:</b>                | CCD                    |
| <b>Scan Speed (Letter, 300 dpi)</b> |                        |
| BW (duplex):                        | Up to 240 opm          |
| Colour (duplex):                    | Up to 220 opm          |
| <b>Tray Capacity<sup>1</sup></b>    | Up 300 Sheets          |
| <b>Document Size:</b>               | Statement to 12" x 17" |
| <b>Resolution:</b>                  | Up to 600 x 600 dpi    |
| <b>Weight:</b>                      | 60 lb.                 |
| <b>Dimensions (W x D x H):</b>      | 24.9" x 23.7" x 7.1"   |

## FINISHING ACCESSORIES

### Document Insertion Unit-N1<sup>4</sup>

|                                  |  |
|----------------------------------|--|
| <b>Tray Capacity<sup>1</sup></b> |  |
| Upper Tray:                      | Up to 200 Sheets                                 |
| Lower Tray:                      | Up to 200 Sheets                                 |
| <b>Paper Weight:</b>             | 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm) |
| <b>Paper Size:</b>               | 5.5" x 7.2" to 13" x 19.2"                       |
| <b>Power Supply:</b>             | 100-240 V, 50/60 Hz, 1.0 A                       |
| <b>Weight:</b>                   | 134 lb.  |
| <b>Dimensions (W x D x H):</b>   | 29.4" x 31.2" x 55.4"                            |

### Multi-Function Professional Puncher-B1<sup>4</sup>

|                                |   |
|--------------------------------|---|
| <b>Paper Weight</b>            |   |
| Punching:                      | 20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm)  |
| Creasing:                      | 105 lb. Text to 110 lb. Cover (157 gsm to 300 gsm)  |
| <b>Paper Size:</b>             | 12" x 18", 11" x 17", LTR, LGL, LTR-R, STMT   |
| Punching:                      | Letter, Legal, 11" x 17", 12" x 18"   |
| Creasing:                      | Letter-R, Legal, 11" x 17, 12" x 18", 13" x 19"   |
| <b>Die Set Patterns:</b>       | Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Colour Coil 44-Hole, Crease |
| <b>Power Supply:</b>           | 115 V, 60 Hz, 3.8 A   |
| <b>Weight:</b>                 | 225 lb.   |
| <b>Dimensions (W x D x H):</b> | 17.5" x 31.3" x 40.9"   |

### GBC eWire Pro<sup>4,5</sup>

|                                    |  |
|------------------------------------|--|
| <b>Bound Book Size<sup>1</sup></b> | 15 to 80 Sheets                                  |
| <b>Paper Size:</b>                 | Letter   |
| <b>Paper Weight:</b>               | 20 lb. Bond to 110 lb. Cover (75 gsm to 300 gsm) |
| <b>Wire Choices:</b>               | 1/4", 5/16", 3/8", 7/16", 1/2"                   |
| <b>Stack Capacity<sup>1</sup></b>  | Up to 35 Books                                   |
| <b>Infeed:</b>                     | Multi-Function Professional Puncher-B1           |
| <b>Power Supply:</b>               | 115 V, 60 Hz, 2.8A                               |
| <b>Weight:</b>                     | 500 lb.  |
| <b>Dimensions (W x D x H):</b>     | 35.9" x 31.7" x 42.5"                            |

### Perfect Binder-E1<sup>4</sup>

|                                   |  |
|-----------------------------------|--|
| <b>Finished Book Size:</b>        | 5.4" x 8.0" to 8.5" x 11.7"                      |
| <b>Book Thickness<sup>1</sup></b> | 10 to 200 Sheets                                 |
| <b>Paper Weight</b>               |  |
| Body Pages:                       | 16 lb. Bond to 110 lb. Text (60 gsm to 163 gsm)  |
| Cover Page:                       | 24 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm) |
| <b>Trimming Method:</b>           | 3-Side Cut/1-Side Cut/No Cut                     |
| <b>Trim Range</b>                 |  |
| Top/Bottom:                       | 0.26" to 1.6"                                    |
| Side:                             | 0.26" to 1.95"                                   |
| <b>Power Source:</b>              | 208 V, 60 Hz, 3.0 A                              |
| <b>Weight:</b>                    | 679 lb.  |
| <b>Dimensions (W x D x H):</b>    | 36.3" x 31.1" x 51.2"                            |

### High-Capacity Stacker-H1

|                                |  |
|--------------------------------|--|
| <b>Capacity<sup>1</sup></b>    |  |
| Stack Tray:                    | Up to 6,000 Sheets                               |
| Top Tray:                      | Up to 200 Sheets                                 |
| <b>Attach Inline:</b>          | Up to 2  |
| <b>Paper Size:</b>             | 7.2" x 7.2" to 13" x 19.2"                       |
| <b>Paper Weight:</b>           | 16 lb. Bond to 150 lb. Cover (60 gsm to 400 gsm) |
| <b>Power Source:</b>           | 100-240 V, 50/60 Hz, 2.5 A                       |
| <b>Weight:</b>                 | 265 lb.  |
| <b>Dimensions (W x D x H):</b> | 35.4" x 29.3" x 44.9"                            |

### Paper Folding Unit-J1<sup>6</sup>

|                                |  |
|--------------------------------|--|
| <b>Double Parallel Fold:</b>   | Legal, Letter-R                                |
| <b>C/Accordion Fold:</b>       | Letter-R                                       |
| <b>Z-Fold:</b>                 | Letter-R, Legal, 11" x 17"                     |
| <b>Paper Weights:</b>          | 16 lb. Bond to 28 lb. Bond (60 gsm to 105 gsm) |
| <b>Power Source:</b>           | From Finisher                                  |
| <b>Weight:</b>                 | 157 lb.  |
| <b>Dimensions (W x D x H):</b> | 13.2" x 31.2" x 46.9"                          |

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## Staple Finisher-AN1/Booklet Finisher-AN2

### Tray Capacity<sup>1</sup>

|                     |                                |
|---------------------|--------------------------------|
| Top Tray:           | Up to 1,000 Sheets             |
| Lower Tray:         | Up to 4,000 Sheets             |
| Saddle-Stitch Tray: | Up to 30 Booklets or Limitless |

### Paper Weight

|                  |  |
|------------------|--|
| Stacking:        | 16 lb. Bond to 150 lb. Cover (60 to 400 gsm) |
| Corner Stapling: | 16 lb. Bond to 120 lb. Cover (60 to 325 gsm) |
| Booklet-Making:  | 16 lb. Bond to 110 lb. Cover (60 to 300 gsm) |

**Staple Positions:** Corner, Double

### Paper Size

|                  |                           |
|------------------|---------------------------|
| Stapling:        | 8.3" x 7.2" to 12" x 17"  |
| Saddle Finisher: | 8.3" x 11" to 13" x 19.2" |

### Stapling Capacity<sup>1</sup>

|                |                               |
|----------------|-------------------------------|
| Corner/Double: | Up to 100 Sheets              |
| Saddle-Stitch: | Up to 25 Sheets               |
| V-Folding:     | Up to 5 Sheets without Stitch |

**Power Source:** 120-240 V, 60 Hz, 8 A

### Weight

|                   |         |
|-------------------|---------|
| Staple Finisher:  | 287 lb. |
| Booklet Finisher: | 397 lb. |

**Dimensions (W x D x H):** 31.5" x 31.2" x 48.8"

## Puncher Unit-BS1<sup>6</sup>

**Paper Weight:** Same as Main Engine

### Paper Sizes

|         |                            |
|---------|----------------------------|
| 2-Hole: | 7.2" x 7.2" to 11.7" x 17" |
| 3-Hole: | 9.5" x 7.2" to 11.7" x 17" |

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Punch Waste Capacity:**<sup>1</sup> Up to 6,000 Sheets

**Power Supply:** From the Finisher

## Long Sheet Tray-C1<sup>6</sup>

**Paper Size:** Up to 7.2" x 7.2" to 13" x 30"

**Paper Capacity:**<sup>1</sup> Up to 100 Sheets

## Finisher Long Sheet Catch Tray-A1<sup>6</sup>

**Paper Size:** 7.2" x 7.2" to 13" x 51.2"

### Paper Capacity:

|                    |                  |
|--------------------|------------------|
| Up to 13" x 30":   | Up to 300 Sheets |
| Up to 13" x 51.2": | Up to 50 Sheets  |

## DFD Adapter and Finisher Bridge-A1<sup>6</sup>

**Paper Weight:** 14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)

**Supported Finishing:** Plockmatic BLM50/35 Professional Booklet Maker

**Requirements:** Staple/Booklet Finisher-W1

**Weight:** 168 lb.

**Dimensions (W x D x H):** 35.8" x 29.3" x 46.9"

## Booklet Trimmer-F1<sup>7</sup>

**Margin Trimming:** Front-edge Trim

**Trim Amount:** 0.08" to 1.1"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Power Supply:** From the Finisher

**Weight:** 392 lb.

**Dimensions (W x D x H):** 82.5" x 31.1" x 40.9"

## Two-Knife Booklet Trimmer-A1<sup>8</sup>

**Margin Trimming:** Top and Bottom

**Trim Amount:** 0.08" to 0.59"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)

**Power Supply:** 120-127 V, 60 Hz, 4 A

**Weight:** 320 lb.

**Dimensions (W x D x H):** 43.7" x 30.3" x 40.9"

## SDD Square Fold Booklet Maker<sup>8</sup>

**Booklet Capacity:**<sup>1</sup> Up to 25 Sheets

**Booklet Input Size:** 4.71" x 8.27" to 9.6" x 12.6"

**Booklet Output Size:** 4.71" x 7.87" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 154 lb.

**Dimensions (W x D x H):** 44.9" x 23.6" x 44.9"

## SDD Square Fold Booklet Maker with Two Knife Trim<sup>8</sup>

**Booklet Capacity:**<sup>1</sup> Up to 25 Sheets

**Booklet Input Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Booklet Output Size:** 4.88" x 5.51" to 9.6" x 12.6"

**Paper Weight:** 16 lb. Bond to 110 lb. Cover

**Trim Amount:** 0.08" to 1.38"

**Power Supply:** 120 V, 60 Hz, 15 A

**Weight:** 573 lb.

**Dimensions (W x D x H):** 62.7" x 27.6" x 51.2"

## Plockmatic BLM50/35 Professional Booklet Maker<sup>9</sup>

**Booklet Size:**<sup>1</sup> Up to 50 Sheets

**Paper Size:** 8.1" x 10.8" to 12.6" x 18"

### Paper Weight

|           |   |
|-----------|---|
| Uncoated: | 16 lb. Bond to 110 lb. Cover (60 to 300 gsm)  |
| Coated:   | 28 lb. Bond to 110 lb. Cover (105 to 300 gsm) |

### Trim Amount

Face:<sup>12</sup> 0.04" to 1"

Top/Bottom:<sup>13</sup> 0.196" to 1.18"

**Paper Rotating:**<sup>13</sup> 8.1" x 10.9" to 9.1" x 12.7"

**Weight:** 1,235.7 lb.

**Dimensions (W x D x H):** 131.1" x 33.8" x 42.5"

# imagePRESS C10010VP/C9010VP PRODUCT SPECIFICATIONS (Continued)

## PRINT SERVERS

### PRISMAsync Print Server

|                         |  |
|-------------------------|--|
| <b>System Software:</b> | Version 7  |
| <b>CPU:</b>             | Intel Core i7 4770S @ 3.1 GHz  |
| <b>Memory:</b>          | 16 GB  |
| <b>Hard Drive:</b>      | 1.5 TB   |
| <b>OS:</b>              | Windows 10   |
| <b>Standard:</b>        | Scheduler, DocBox, G7 Calibration, Page Programmer, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Multiple Queues, Remote Control |
| <b>Optional:</b>        | E-Shredding  |

### imagePRESS Server B7000 V2

|                      |  |
|----------------------|--|
| <b>Fiery System:</b> | FS400 Pro  |
| <b>CPU:</b>          | Dual Intel® Xeon® Gold 5118 Processor, 2.3 GHz with 3.2GHz Turbo   |
| <b>Memory:</b>       | 32 GB  |
| <b>Hard Drive:</b>   | 4.5 TB   |
| <b>OS:</b>           | Windows 10   |
| <b>Standard:</b>     | Impose, Compose, Command Workstation, Spot-On, Remote Scan, Hot Folders, Virtual Printers, Media Librarian, Graphic Arts Pro Package, ColorRight Package |
| <b>Optional:</b>     | Job Master, JobFlow  |

### imagePRESS Server B6000 V2

|                      |  |
|----------------------|--|
| <b>Fiery System:</b> | FS400 Pro  |
| <b>CPU:</b>          | Intel® Core™ i7-4770S, 3.2 GHz up to 3.6 GHz w/Turbo                                     |
| <b>Memory:</b>       | 16 GB  |
| <b>Hard Drive:</b>   | 1 TB   |
| <b>OS:</b>           | Windows 10   |
| <b>Standard:</b>     | Command Workstation, Media Librarian, Spot On, Remote Scan, Hot Folders, Impose, Compose |
| <b>Optional:</b>     | Graphic Arts Pro Package, ColorRight Package, Job Master, JobFlow                        |

<sup>1</sup>Based on 20 lb. Bond.

<sup>2</sup>Optional feeding accessories required.

<sup>3</sup>Based on letter, simplex impressions.

<sup>4</sup>High Capacity Stacker-H1 and/or Staple Finisher-AN1/Booklet Finisher-AN2 required.

<sup>5</sup>Multi-Function Professional Puncher-B1 required.

<sup>6</sup>Staple Finisher-AN1 or Booklet Finisher-AN2 required.

<sup>7</sup>Booklet Finisher-AN2 required.

<sup>8</sup>Booklet Trimmer-F1 required.

<sup>9</sup>High Capacity Stacker-H1 or DFD Adapter and Finisher Bridge-A1 required.

<sup>10</sup>SDD Front Trimmer required.

<sup>11</sup>SDD Rotator required.

<sup>12</sup>FTR50 Trimmer Module required.

<sup>13</sup>RCT50 Rotate Crease Trim Module required.

 WWW.CANON.CA



**Canon**

Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in Canada and may also be registered trademarks or trademarks in other countries. PRISMA is a registered trademark of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. Some output may be simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.  
©2020 Canon Canada Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.

